
CAN-SAK

Molded DIN Connector

All-Molded DIN Solenoid Valve Connector / Gasket / Cord Assembly

Mating Connectors for your Solenoid Valve Purchase.



SURGE PROTECTED VERSIONS AVAILABLE.
CONSULT YOUR SALES ASSOCIATE.



Features individually bagged All-Molded DIN Solenoid Valve Connectors.

Grab and Go!

Lighted and Surge Suppressed Molded Solenoid Valve Connectors

About the 5J Connector

The Canfield Connector Series 5J all-molded DIN solenoid valve connector / gasket / cord assembly offers a completely molded design that is far better for environmental integrity than field wire versions. Made from rugged yet flexible polyurethane, the connector housing boasts high durability factors and application versatility. The low profile "90°" interface/cord configuration allows for installation in many limited space applications. The integrated gasket design boasts an IP67/NEMA 6 rating and makes it impossible to lose the gasket.



About the Rack Kit

The *CAN-SAK* point of purchase display features a popular variety of individually bagged, 5J fully molded connectors which mate to your standard solenoid valves. The three tier 360° rotating 5 Ft. display rack along with the individually packaged clear hanging bag allows for easy vision to see what your buying. Easy markings on bags and boxes help identify the product to fit your needs. The product sells itself! ***Grab and Go!***

Varieties include Lighted or Unlighted, No Suppression, Diode or MOV and in 3 sizes:

- ISO Form "A" Connectors, 2+ Dual Ground
- MINI Connectors, 2+ Ground Down
- 9.4mm Sub Micro Connectors, 2+ Dual Ground

Our downloadable App allows for easy, controlled reordering of the stock items you need without having to reorder a complete kit.

Complete Kit Includes

- *15 varieties of connectors:*
  5 types of ISO Form "A" Connectors,
  5 types of MINI Connectors,
  5 types of 9.4mm Sub Micro Connectors
- *Each pack contains 10 pieces of individually labeled bagged connectors and a hanging row card for easy reordering*
- *Three tier 360° rotating 5 Ft. display rack*
  Display card rack topper
- *Assembly instructions with downloadable App for simple reordering*

Grab and Go!







ISO shown above



Ordering Information

CANRAK - □

Rack Assembly
0 - No Rack, All Packs Included
1 - Rack, All Packs Included
2 - Rack Only, No Packs

Complete Pack set includes a 10 piece box of each of the following:	
	Individual Pack Order Number
ISO Form "A" Connectors, 2+ Dual Ground	
Unlighted, No Suppression	RP-5J664-000-US0P-010
Lighted, No Suppression, 6-24V AC/DC 50/60 Hz	RP-5J664-201-US0P-010
Lighted, No Suppression, 48-120V AC/DC 50/60 Hz	RP-5J664-501-US0P-010
Lighted, Diode, 6-24 VDC	RP-5J664-A11-US0P-010
Lighted, MOV, 48-120V AC/DC 50/60 Hz	RP-5J664-551-US0P-010
MINI Connectors, 2+ Ground Down	
Unlighted, No Suppression	RP-5J560-000-US0P-010
Lighted, No Suppression, 6-24V AC/DC 50/60 Hz	RP-5J560-201-US0P-010
Lighted, No Suppression, 48-120V AC/DC 50/60 Hz	RP-5J560-501-US0P-010
Lighted, Diode, 6-24 VDC	RP-5J560-A11-US0P-010
Lighted, MOV, 48-120V AC/DC 50/60 Hz	RP-5J560-551-US0P-010
9.4mm Sub Micro Connectors, 2+ Dual Ground	
Unlighted, No Suppression	RP-5J464-000-US0P-010
Lighted, No Suppression, 6-24V AC/DC 50/60 Hz	RP-5J464-201-US0P-010
Lighted, No Suppression, 48-120V AC/DC 50/60 Hz	RP-5J464-501-US0P-010
Lighted, Diode, 6-24 VDC	RP-5J464-A11-US0P-010
Lighted, MOV, 48-120V AC/DC 50/60 Hz	RP-5J464-551-US0P-010

Note: All come with 6Ft, US code wire

canfield connector
8510 Foxwood Court
Youngstown, OH 44514
Ph: 1-800-554-5071
canfieldconnector.com

Made in USA

Canfield Connector Molded Connectors are proudly manufactured in the U.S.A. to ISO 9001 with design specifications to the highest quality standards. Complete product specifications can be found at www.canfieldconnector.com or by calling 1-800-554-5071.